



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/880,174	06/13/2001	Naosumi Tada	DKT00127	5817

7590 09/29/2004

Borg Warner Inc.  
Powertrain Technical Center  
3800 Automation Avenue, Ste. 100  
Auburn Hill, MI 48326

EXAMINER

JOHNSON, VICKY A

ART UNIT PAPER NUMBER

3682

DATE MAILED: 09/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/880,174

Applicant(s)

TADA, NAOSUMI

Examiner

Vicky A. Johnson

Art Unit

3682

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 18 June 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-3, 7-9, 12-15 and 18-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Craddock et al (US 5,055,088) in view of Rowland et al (US 2,920,884).

Craddock et al disclose a blade tensioner for applying tension to a chain, the blade tensioner comprising: a blade shoe (30) having a first face and an opposing second face (see Fig 2), the first face having a chain sliding surface on which the chain is slidable (see Fig 2); at least two adjacent blade springs (21,22) each having an upper and lower planar surface (see Figs 3 and 4A), disposed on the second face of the blade shoe for applying a spring force to the blade shoe (col. 2 lines 54-59), the adjacent blade springs having opposing surfaces slidable relative to each other (col. 1 lines 15-38).

Craddock et al does not disclose a friction surface provided between the contact surfaces of the adjacent blade springs and selected to increase the coefficient of friction between the adjacent blade springs relative to the coefficient of friction between the opposing surfaces of the adjacent blade springs without the friction surface, effective to damp vibrations of the tensioner.

Rowland et al show the use of a friction surface (28) provided between the lower planar surface of a first blade spring (14) and the upper planar surface of a second blade spring (18) and selected to increase the coefficient of friction between the adjacent blade springs there between effective to damp vibrations of the tensioner (col. 1 lines 62-67).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the tensioner of Craddock et al to include a friction surface as taught by Rowland et al in order to reduce wear between the blade springs (col. 1 lines 62-67).

Re claim 2, Rowland et al show the use of blade springs (14, 18) having a friction surface being a plate-like member (28) extending in the length direction of the blade springs (see Fig 3) and is provided independently from the blade springs (col. 2 lines 63-73).

Re claim 3, Rowland et al show the friction surface comprises a plate-like member extending in the length direction of the blade springs (see Fig 3) and attached to at least one blade spring through bonding or welding.

Re claims 7, 8 and 9, Rowland et al show the friction parts are configured using rubber (col. 2 lines 63-66), plastic, or friction paper.

Re claim 12, Rowland et al disclose set of spring blades comprising: a first blade spring (14) having an upper and a lower planar surface (see Fig 3); a second blade (18) spring having an upper and a lower planar surface disposed below the first blade spring (see Fig 3), the lower planar surface of the first blade spring and the upper

planar surface of the second blade spring in sliding engagement (col. 1 lines 57-68); and a friction surface (28) provided between the lower planar surface of the first blade spring and the upper planar surface of the second blade spring (see Fig 3) having a coefficient of friction selected to damp vibrations of the tensioner (col. 1 lines 57-68).

Re claims 13 and 22, Rowland et al show the friction surface is formed on at least one of the blade springs (col. 2 lines 63-73).

Re claims 14 and 23, Rowland et al show the friction surface comprises a friction plate (10) disposed between the blade springs (see Fig 3).

Re claims 15 and 24, Rowland et al show the friction plate is attached to at least one of the blade springs (col. 2 lines 63-73).

Re claim 18, Craddock et al show the blade shoe having a chain sliding face (30) against which the chain is slidable (see Fig 1), wherein the blade springs are disposed between slots (see Fig 5) formed on a face of the blade shoe opposite the chain sliding face (see Fig 1).

Re claim 19, Craddock et al shows a base provided for pivotably mounting a first end of the blade shoe (see Fig 1).

Re claim 20, Craddock et al shows a second end of the blade shoe is freely slidable upon the base (see Fig 1).

3. Claims 4-6, 10, 11, 16, 17, 20, 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Craddock et al (US 5,055,088) in view of Rowland et al (US

Art Unit: 3682

2,920,884) as applied to claims 1-3, 7-9, 12-15, 23 and 24 above and further in view of McCutcheon et al (US 5,691,037).

Craddock et al disclose a blade tensioner as described above, but do not disclose the friction surface comprises a plurality of members extending in the length direction of the blade springs and attached to at least one blade spring through bonding or welding.

McCutcheon et al teaches the use of two surfaces (56,60) having a friction surface comprises a plurality of members (58) extending in the length direction of the surfaces (see Fig 3D) and attached to at least one surface through bonding (col. 16 lines 1-5) or welding.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a plurality of transverse members between the spring blades of Craddock et al as taught by McCutcheon et al in order to improve vibrational damping (col. 10 lines 31-32).

Re claims 5 and 6, Craddock et al show the blade spring and McCutcheon et al show and render obvious the bumpy surfaces (58) created on contact faces between the friction surface and at least one surface (see Fig 3D).

Re claims 10 and 11, McCutcheon et al show the friction parts are configured using rubber (col.11 lines 9-16), plastic, or friction paper.

Re claims 16 and 25, Craddock et al show the blade springs and McCutcheon et al show and render obvious the friction surface comprises a plurality of transverse members (58) disposed between the surfaces (see Fig 3D).

Re claims 17 and 26, Craddock et al show the blade springs and McCutcheon et al show and render obvious at least one of the plurality of transverse members (58) is attached to at least one of the blade springs (see Fig 3D).

### ***Response to Arguments***

Some further comments regarding the Applicant's remarks are deemed appropriate.

The applicant argues that the Roland et al reference teaches away from claimed invention, because Roland et al is directed to a different use than the Craddock reference and there is no motivation to combine the two references. The Rowland reference does not teach away from the claimed invention. In column 1 lines 20-25 of Rowland, it teaches "As a means of preventing the plates from rubbing together in metal to metal contact...non-metallic material are inserted between the plates..." Rowland states that the previous liners required lubricant or surface impregnation to reduce interleaf friction and reduce jars, jolts or vibrations. Rowland also states that the liners that were previously used "...have a high coefficient of friction which prevents the spring from deflecting or working to its fullest extent." Rowland does not teach that friction between leaf spring plates is undesirable or that it should be eliminated, Rowland teaches that it should be less than with conventional liners. The motivation to combine

the Craddock and the Rowland reference is as stated above to reduce the rubbing action or wear between the blade springs.

The applicant's remarks have been accorded due consideration, however, they are not deemed fully persuasive.

***Conclusion***

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vicky A. Johnson whose telephone number is (703) 305-3013. The examiner can normally be reached on Monday-Friday (7:00a-3:30p).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Bucci can be reached on (703) 308-3668. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.



Art Unit: 3682

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

vaj *2/26/01*

*David A. Mucci*  
DAVID A. MUCCI  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3600